

EXCELLENT

RETAIL FOOD ESTABLISHMENT INSPECTION REPORT

Facility Name: MOXI THEATER

Address: 802 9TH ST
GREELEY, CO 80631

Phone: (720) 308-9965

Inspection Date: September 27, 2019

Owner: CREW PRESENTS INC

Inspection Type: REGULAR INSPECTION

POINTS	VIOLATION	VIOLATION ID
5 pts.	Procedures for responding to vomiting and diarrheal events Comment: (Corrected) Facility does not have a plan that meets requirements for clean-up of illness-related events. A food establishment shall have procedures for employees to follow when responding to vomiting or diarrheal events that involve the discharge of vomitus or fecal matter onto surfaces in the food establishment. The procedures shall address the specific actions employees must take to minimize the spread of contamination and the exposure of employees, consumers, food, and surfaces to vomitus or fecal matter. Corrected by adopting CDPHE guidelines.	05
0 pts.	Adequate handwashing sinks properly supplied and accessible Comment: Facility hand sinks do not have signs or posters reminding employees to wash their hands. A sign or poster that notifies food employees to wash their hands shall be provided at all handwashing sinks used by food employees and shall be clearly visible to food employees. Correct as soon as possible, follow-up at next regular inspection.	10
0 pts.	Non-food contact surfaces clean Comment: Found debris in the kitchen 3 compartment sink. All nonfood contact surfaces shall be maintained clean. No food is currently be served in the kitchen. Correct as soon as possible.	49