

EXCELLENT

RETAIL FOOD ESTABLISHMENT INSPECTION REPORT

Facility Name: KFC/A&W

Address: 1590 MAIN ST
WINDSOR, CO 80550

Phone: (970) 686-9909

Inspection Date: January 30, 2019

Owner: TRUJILLO 430 INC

Inspection Type: REGULAR INSPECTION

POINTS	VIOLATION	VIOLATION ID
10 pts.	Plumbing installed; proper backflow devices Comment: (Corrected) Found mop sink hose with a sprayer and no pressurized backflow device (i.e. Watts LFN9 CD or 1052 ASSE) . No hose shall be attached to a potable water outlet that is not equipped with a suitable backflow prevention device. Sprayer was removed, corrected at time of inspection.	51
5 pts.	Toxic substances properly identified, stored & used Comment: (Corrected) Found disinfectant spray bottle stored on food preparation table in kitchen. Poisonous or toxic materials shall be stored so they do not contaminate food, equipment, utensils, linens or single-service articles. Corrected at time of inspection.	28
0 pts.	Wiping Cloths; properly used & stored Comment: Found multiple sanitizer buckets being stored on the floor in kitchen area. Containers of chemical sanitizer shall be stored off the floor and used in a manner that prevents contamination of food and equipment. Correct ASAP, follow up will occur at next regular inspection	41